


**MOBILE KITCHEN SOLUTIONS**  
FOR RV AND MARINE APPLICATIONS



.....  
*Home style cooking  
and enjoyment*  
.....



INSPIRED BY COMFORT

[www.dometic.co.nz](http://www.dometic.co.nz)

# INTRODUCING THE NEW RANGE OF DOMETIC RV AND MARINE COOKERS.

## Features and benefits include:

- 12 volt ignition on all gas burners - for easy operation\*
- Flame failure safety device on all gas burners
- 3+1 Gas/Electric hobs for greater versatility and economy when plugged into 230 volts\*
- Glass lids to extend the bench tops and provide splash-back protection
- Fixed gas burners to eliminate rattling while travelling
- Safety cut-out on hob glass lids for gas and 230v use\*
- Oven includes turn-table function and thermostat control for even cooking\*
- Oven interior light\*
- Marine oven includes pot holders as standard with gimbals optional



The Dometic 3 Burner Hob and Oven/Grill for Marine Use



The Dometic 3+1 Gas/Electric Hob, Grill and Oven

\* Not all features included on all appliances

## ADD TO THE STYLE AND ELEGANCE OF YOUR GALLEY WITH ONE OF OUR DOMETIC COOKERS.

AGA approved gas cookers in a design to fit your needs, with glass lids to extend the bench top when not needed. Gas safety valves fitted to all burners for extra safety, along with fixed burners to eliminate rattle when on the road.

### DOMETIC 3 + 1 hob, + grill

3 gas burner + 1 electric | Electric hot plate 800 watts | 12 volt ignition on all gas burners  
Gas safety valves fitted to all burners.



<b>Gas consumption</b>	20.8 MJ/hr - total all burners
<b>Number of burners</b>	3 x gas, 1 x electric, 1 x grill
<b>Colour of case</b>	Black hob with silver handle & knobs
<b>Quality features</b>	Black enamel cook top 3 gas burners with one 800 watt electric element. Glass lid and glass doors for the grill box. Black enamel pan support, silver control face and handle. Burners are aluminium and brass with black enamel tops. The glass lid has a safety feature that turns the burners and electric element off as the lid is closed. The grill box comes complete with grill tray and wire rack.

<b>Dimensions</b>	<b>W</b> 514 x <b>H</b> 292 x <b>D</b> 535 mm
<b>Weight</b>	12.2 kg
<b>Test mark</b>	AGA
<b>Product</b>	<b>Ref. No.</b>
CU 402PE Dometic 3 + 1 hob, + grill	9102302647



Gas and electric  
240 volts

12 volt  
ignition on  
all burners

One electric  
hot plate  
800 watts

Gas safety  
valve on  
all burners

Glass lid  
fitted with  
safety shut  
off for all  
top burners.

### DOMETIC 3 + 1 hob, grill + oven

3 gas burner + 1 electric | Oven with turn-table | Electric hot plate 800 watts | 12 volt ignition on all gas burners  
Gas safety valves fitted to all burners.



<b>Gas consumption</b>	24.6MJ/hr - total all burners
<b>Number of burners</b>	3 x gas, 1 x electric, 1 x grill, 1 x oven burner
<b>Colour of case</b>	Black hob with silver handles & knobs
<b>Quality features</b>	Black enamel cook top 3 gas burners with one 800 watt electric element. Glass lid and glass doors for the grill box. Black enamel pan support, silver control face and handle. Burners are aluminium and brass with black enamel tops. The glass lid has a safety feature that turns the burners and electric element off as the lid is closed. The oven comes complete with oven/grill, 2 x wire racks, rotatable turn-table and interior light

<b>Dimensions</b>	<b>W</b> 514 x <b>H</b> 592 x <b>D</b> 535 mm
<b>Weight</b>	23.8 kg
<b>Test mark</b>	AGA
<b>Product</b>	<b>Ref. No.</b>
CU 401PE Dometic 3 + 1 hob, grill + oven	9102302646



Gas and electric  
240 volts

12 volt  
ignition on  
all burners

One electric  
hot plate  
800 watts

Gas safety  
valve on  
all burners

Glass lid  
fitted with  
safety shut  
off for all  
top burners.

**DOMETIC 3 burner + oven/grill – R.V. use**

3 gas burner + oven/grill | for Caravans and Motohomes | Gas 12 volt ignition on all burners

Gas safety valves fitted to all burners.



<b>Gas consumption</b>	20.8 MJ/hr - total all burners
<b>Number of burners</b>	3 x gas, 1 x oven/grill/burner
<b>Colour of case</b>	Stainless hob with silver control face glass door and handle
<b>Quality features</b>	Stainless cook top 3 gas burners. Burners are aluminium and brass with black enamel tops. Aluminium oven tray and wire rack

<b>Dimensions</b>	<b>W522 x H428 x D503 mm</b>
<b>Weight</b>	21.8 kg
<b>Test mark</b>	AGA

Product	Ref. No.
CU 335 Dometic 3 hobs plus grill/oven	9102302623

12 volt  
ignition on  
all burnersGas safety  
valve on  
all burners**DOMETIC 3 burner + oven/grill – Marine use**


3 gas burner + oven/grill, pot holders | Gas 12 volt ignition on all burners

Gas safety valves fitted to all burners.



<b>Gas consumption</b>	20.8 MJ/hr - total all burners
<b>Number of burners</b>	3 x gas, 1 x oven/grill burner
<b>Colour of case</b>	Stainless hob with silver control face glass door and handle
<b>Quality features</b>	Stainless cook top 3 gas burners. Burners and tops are stainless. Gimbals are optional. Stainless oven tray and wire rack

Pot holders included



<b>Dimensions</b>	<b>W525 x H505 x D574 mm</b>
<b>Weight</b>	22.4 kg
<b>Test mark</b>	AGA

Product	Ref. No.
CU 335M Dometic 3 hobs + grill/oven	9102302622
Gimbals set optional	9102302161

12 volt  
ignition on  
all burnersGas safety  
valve on  
all burners

**DOMETIC 2 burner**

2 burner hob with glass lid | Piezo ignition system | Gas safety valves fitted to all burners.



<b>Power rating</b>	3.2 kW
<b>Gas consumption</b>	233 g/h
<b>Number of burners</b>	2
<b>Dimensions</b>	<b>W</b> 460 x <b>H</b> 90 x <b>D</b> 335 mm
<b>Built-in dimensions</b>	<b>W</b> 440 x <b>D</b> 315 mm
<b>Weight</b>	3.3 kg
<b>Test mark</b>	AGA

**Quality features**

Integrated heat-resistant safety glass lid, detachable chromed pan supports, stainless steel burner caps, safety ignition system, recessed controls, low profile bench top rubber seal.

Product	Ref. No.
Dometic	9103301031



Gas

Safety ignition system

Integrated heat resistant safety glass lid

Detachable pan supports – easy to clean

Stainless steel burner caps

**DOMETIC 3 burner**

3 burner hob with glass lid | Gas 12 volt ignition on all burners | Gas safety valves fitted to all burners.



<b>Ignition system</b>	12 volts
<b>Power rating</b>	4.8 kW
<b>Gas consumption</b>	350 g/h
<b>Number of burners</b>	3
<b>Dimensions</b>	<b>W</b> 520 x <b>H</b> 80 x <b>D</b> 445 mm
<b>Built-in dimensions</b>	<b>W</b> 510 x <b>D</b> 435 mm
<b>Weight</b>	5.1 kg
<b>Test mark</b>	AGA

**Quality features**

Integrated heat-resistant safety glass lid, detachable chromed pan supports, stainless steel burner caps, safety ignition system, recessed controls, low profile bench top rubber seal.

Product	Ref. No.
Dometic	9103301080

**DOMETIC 2-burner combi unit**

2-burner hob/sink combination with glass lid



Underneath the break-proof glass lid this creative and functional SMEV combination unit accommodate a double-burner hob and the sink to match – all in the smallest possible space. Integrated heat resistant safety glass lid

<b>Quality features</b>	Detachable chromed pot grids Enamelled burner caps Recessed controls Electronic 12-volt ignition Safety ignition system Includes fold-down tap Rubber seal
-------------------------	--

**Dimensions** W680 x H142 x D440 mm

**Built in dimensions** W590 x D435 mm

**Weight** 5.1 kg

**Waste outlet hole** 36mm (not supplied)

**Tap hole** 39mm

Product	Ref. No.
MO 8322 Dometic (tap included)	9103301724
Smev Mixer T/S Smev	910230077

TAP  
INCLUDED**DOMETIC 3-burner combi unit**

3 burner hob/sink combination with glass lids | 12 volt ignition on all gas burners | Gas safety valves fitted to all burners.



**Ignition system** 12 volts

**Power rating** 4.8 kW

**Gas consumption** 350 g/h

**Number of burners** 3

**Dimensions** W968 x H430 x D140 mm

**Built-in dimensions** W820 x D392 mm

**Weight** 7.2 kg

**Test mark** AGA

**Waste outlet hole** 40mm (not supplied)

**Tap hole** 33mm

Product	Ref. No.
MO 8123 Dometic (No tap)	9102302621
Uses Dometic 360° swivel Basin mixer – brass (33mm hole) NL770	

TAP NOT  
INCLUDED

**DOMETIC** Stainless Steel sink/drainer combination



**Quality features** Stainless steel sink and drainer combination  
Includes rubber edging for a neat finish  
Comes standard with elbow waste outlet & plug  
Waste outlet has a 25mm diameter hosetail  
Great for in motorhomes, caravans or boats

**Dimensions** L 590 x W370 x H125 mm  
**Built in dimensions** L330 x W330 x H120mm  
**Weight** 5.1 kg  
**Waste outlet hole** 36mm (supplied)

Product	Ref. No.
Dometic Sink/Drainer	9102300054
Uses Dometic 360° Swivel Basin mixer (33mm hole)	NL 770



**DOMETIC** Stainless Steel sink/drainer combination



**Quality features** Low profile bench top rubber seal  
**Dimensions** W650 x H115 x D400 mm  
**Built in dimensions** W530 x D380 mm  
**Weight** 2.6 kg  
**Waste outlet hole** 36mm (supplied)

Product	Ref. No.
Dometic sink/drainer	9103300474
Uses Dometic 360° swivel basin mixer (33mm hole)	NL 770



**DOMETIC** Stainless Steel Square sink with glass lid



**Quality features** Sturdy stainless steel sink with integrated lid of heat resistant safety glass. Comes standard with brass fold-down tap, rubber seal and waste outlet with plug.

**Dimensions** L 420 x W440 x H145 mm  
**Built in dimensions** TBA  
**Weight** 3.4 kg  
**Waste outlet hole** 25mm (supplied)

Product	Ref. No.
Smev VA8006 square sink with glass lid	9102300028
Smev Mixer T/S Smev	910230077



**DOMETIC** sink/drainer combination with glass lid

**Quality features** Integrated heat resistant safety glass lid, integrated waste tray, tap fitting inside, low profile bench top rubber seal supplied with hole for top [Ø 39 mm]

**Dimensions** W600 x H136 x D445 mm

**Built in dimensions** W590 x D435 mm

**Weight** 5.1 kg

**Waste outlet hole** 36mm (not supplied)

**Tap hole** 39mm

Product	Ref. No.
Dometic CRAMER 1058007 (No tap)	9103300472
Uses Dometic fold down mixer – brass (39mm hole)	NM728

TAP NOT INCLUDED

**DOMETIC** waste bin with glass lid

**Quality features** Integrated heat resistant safety glass lid, removable bin, 2 litre capacity, low profile bench top rubber seal

**Dimensions** W185 x H220 x D200 mm

**Built in dimensions** W172 x D182 mm

**Weight** 0.8 kg

Product	Ref. No.
Dometic CRAMER 1072008	1072008

**MOBILE ALCOHOL STOVES**

If you would rather cook using alcohol than with gas, the Dometic ORIGO range has something for you. Dometic ORIGO alcohol stoves are ideal for those really tight on-board kitchens or for picnics in the open. One or two burners, super compact design and easy to stow away again after meals. Tried and tested, safe and high performance technology. Stainless steel, high quality finish and easy to clean.

**DOMETIC** ORIGO 1500

Single burner free standing alcohol stove



The efficient single burner freestanding spirit stove for confined spaces. Portable, compact, and built to last. Ideal for motor homes caravans camping and boats.

**Burning time** approx 6 to 8 hours

**Number of burners** 1

**Burner capacity** 2000 watts

**Boiling time** 10 minutes for 1 litre of water

**Tank capacity** 1.2 litres

**Dimensions** W236 x H137 x D262 mm

**Weight** 3.25 kg

Product	Ref. No.
Dometic ORIGO 1500	9103303880

Easy access to the alcohol-fuel container – simple and safe to fill

Comprehensive accessories which can be ordered separately



### DOMETIC ORIGO 3000

Double burner freestanding alcohol stove.



The classic two burner freestanding stove suitable for all types of applications including marine. Rugged and reliable.

<b>Burning time</b>	approx. 6 to 8 hours
<b>Number of burners</b>	2
<b>Burner capacity</b>	2000 watts per burner
<b>Boiling time</b>	10 minutes for 1 litre of water
<b>Tank capacity</b>	1.2 litres per canister
<b>Dimensions</b>	<b>W</b> 464 x <b>H</b> 137 x <b>D</b> 262 mm
<b>Weight</b>	6.5 kg
<b>Product</b>	<b>Ref. No.</b>
Dometic ORIGO 3000	9103303882


Compact design – easy to stow away

Ideal for indoor and outdoor use

High cooking power on burners

### DOMETIC ORIGO 4100

Built in double burner alcohol stove top.




Handsome two burner built in stove top. Suitable for all types of applications including marine. Glass lid included.

<b>Burning time</b>	approx. 6 to 8 hours
<b>Number of burners</b>	2
<b>Burner capacity</b>	2000 watts per burner
<b>Boiling time</b>	10 minutes for 1 litre of water
<b>Tank capacity</b>	1.2 litres per canister
<b>Dimensions</b>	<b>W</b> 623 x <b>H</b> 150 x <b>D</b> 377 mm
<b>Weight</b>	7.5 kg
<b>Product</b>	<b>Ref. No.</b>
Dometic ORIGO 4100 GL	9103303894

Easy access to the alcohol-fuel container – simple and safe to fill

Comprehensive accessories which can be ordered separately

### DOMETIC ORIGO accessories



OH4001

Product	Ref. No.
Dometic ORIGO 3001 Pot Holder (to suit OH1500, OH3000, OH6000)	9103303980
Dometic ORIGO 3002 Gimbals (to suit OH1500, OH3000)	9103303983
Dometic ORIGO 4001 Pot Holder (to suit OH2000, OH4100)	9103303981

Compact design – easy to stow away

Ideal for indoor and outdoor use

### DOMETIC ORIGO 5100

Heat Pal - The cooking all rounder.



This all rounder is not only an effective source of heat but also an excellent stove for cooking. Great for the caravan, boat or camping.

<b>Burning time</b>	approx 6 to 8 hours
<b>Number of burners</b>	1
<b>Burner capacity</b>	1500 watts
<b>Boiling time</b>	10 minutes for 1 litre of water
<b>Tank capacity</b>	1.2 litres
<b>Dimensions</b>	<b>Ø</b> 280 x <b>H</b> 290 mm
<b>Weight</b>	3 kg
<b>Product</b>	<b>Ref. No.</b>
Dometic ORIGO 5100	9103303920

High cooking power on all burners

Easy access to the alcohol-fuel container – simple and safe to fill

Comprehensive accessories which can be ordered separately

## INTELLIGENT DESIGN FOR TOP PERFORMANCE

Recirculating rangehoods in the Dometic CK series quickly draw cooking fumes, odours and moist air out of the cabin. The compact fan, which is equipped with a 12 volt motor, is integrated into the roof dome and not into the unit itself. Both the CK 150 & CK 155 are suitable for both conventional and pop top caravans.

### DOMETIC CK 150

Flush mounted rangehood with 1-speed fan.



<b>Voltage</b>	12 volts DC
<b>Capacity</b>	115 m <sup>3</sup> /h
<b>Power input</b>	30 watts
<b>Quality features</b>	1-speed fan, washable metal grease filter, lighting with halogen lamps [1 x 20 watts/12 volts, GU5.3], robust plastic roof dome
<b>Dimensions</b>	<b>W</b> 400 x <b>H</b> 75 x <b>D</b> 165 mm
<b>Cupboard recess</b>	<b>W</b> 381 x <b>D</b> 142 mm
<b>Roof opening</b>	Ø105 mm
<b>Roof dome dimensions</b>	<b>H</b> 64 x Ø200 mm
<b>Weight</b>	1.9 kg
<b>Test marks</b>	CE, e5
<b>Product</b>	<b>Ref. No.</b>
Dometic CK 150	CK150

Washable metal filter  
Robust plastic roof dome  
Recessed model  
Suitable for conventional & pop top caravans  
Flush mounted

### DOMETIC CK 155

Surface mounted rangehood with 2-speed fan.



<b>Voltage</b>	12 volts DC
<b>Capacity</b>	70/125 m <sup>3</sup> /h
<b>Power input</b>	30 watts
<b>Quality features</b>	2-speed fan, washable metal grease filter, lighting with halogen lamps [2 x 10 watts/12 volts, GU4], robust plastic roof dome
<b>Dimensions</b>	<b>W</b> 405 x <b>H</b> 69 x <b>D</b> 280 mm
<b>Roof opening</b>	Ø105 mm
<b>Roof dome dimensions</b>	<b>H</b> 64 x Ø200 mm
<b>Weight</b>	3 kg
<b>Test marks</b>	CE, e5
<b>Product</b>	<b>Ref. No.</b>
Dometic CK 155	CK155

Washable metal grease filter  
2-speed fan  
Two integrated halogen lights  
Robust plastic roof dome

### DOMETIC GY 11

Roof ventilation with motor | Exchanges air even when fan is not switched on.



<b>Voltage</b>	12 volts DC
<b>Capacity</b>	65/105 m <sup>3</sup> /h
<b>Power input</b>	30 watts
<b>Quality features</b>	GY 11: 2-speed fan, powerful ventilation even when the motor is turned off [3 to 12 m <sup>3</sup> /h at wind speed of 1 to 4 m/s]
<b>Roof opening</b>	Ø100 mm
<b>Roof dome dimensions</b>	<b>H</b> 64 x Ø200 mm
<b>Weight</b>	0.6 kg
<b>Product</b>	<b>Ref. No.</b>
Dometic GY 11	GY11

High performance  
Robust plastic roof dome

## RELAXED BREAKS IN A KITCHEN OF YOUR OWN

Something hot is what you need: this handy kettle, especially designed for operation in vehicles, provides you with a pot of tea, a cup of coffee or a mug of soup in no time at all. This robust gadget suits 12 volt operation. The automatic cut-off function stops it from overheating when empty and ensures safe and comfortable handling. An indispensable helper on board!

### WAECO PerfectKitchen MCK750

Car kettle for 12 volts



#### Quality features

Robust relay technology, switches off automatically when the boiling temperature has been reached or when there's no water in the kettle, status indication

<b>Capacity approx.</b>	0.75 litres
<b>Voltage</b>	12 volts DC
<b>Average power consumption</b>	12 volts: 200 watts
<b>Colour</b>	Black/silver
<b>Dimensions</b>	<b>W</b> 190 x <b>H</b> 205 x <b>D</b> 125 mm (incl. fixing kit)
<b>Weight</b>	0.8 kg
<b>Test marks</b>	e-approved (Automotive EMC Directive), complies with German Foodstuff and Consumer Goods Act (LMBG)
<b>Scope of delivery</b>	Fixing kit for wall or desk mounting

**COMFORT**  
WHERE AND  
WHEN YOU  
NEED IT!

Tailor made for mobile use

Robust relay technology

Wall or desk mounting

Product	Ref. No.
PerfectKitchen MCK750, 12 volts	MCK-750-12/N

## SOPHISTICATED WINE CHAMBER FOR 6 BOTTLES

Be the perfect host. The stylish MyFridge MF-6W wine chamber will bring your wine to the perfect drinking temperature. Equipped with an easy to read temperature display, the desired temperature (between 5 °C and 20 °C) is simply preset and then reliably maintained.

### WAECO MyFridge MF-6W

6-bottle wine chamber



<b>Gross capacity</b>	6 bottles
<b>Power source</b>	12 volts DC / 240 volts AC
<b>Weight</b>	approx. 6.5 kg
<b>Dimensions</b>	<b>W</b> 260 x <b>H</b> 415 x <b>D</b> 470 mm
<b>Cooling control</b>	Digital selection from 5 °C to 20 °C

Product	Ref. No.
MyFridge MF-6W	MF-6W



1 year warranty on everything





Dometic Group is a customer-driven, world-leading provider of leisure products for the RV, automotive, truck and marine markets. We supply the industry and aftermarket with a complete range of air conditioners, refrigerators, awnings, cookers, sanitation systems, lighting, mobile power equipment, comfort and safety solutions, windows, doors and other equipment that make life more comfortable away from home.

Dometic Group supplies a wide range of workshop equipment for service and maintenance of built-in air conditioners. Dometic Group also provides specially designed refrigerators for hotel rooms, offices, wine storage and transport and storage of medical products. Our products are sold in almost 100 countries and are produced mainly in wholly-owned production facilities around the world.

### **Dometic New Zealand Limited**

Unit E, The Gate, 373 Neilson Street  
Penrose Auckland 1061  
Phone: +64 (0)9 622 1490 Fax: +64 (0)9 622 1573  
Email: [customerservices@dometic.co.nz](mailto:customerservices@dometic.co.nz)  
Web: [www.dometic.co.nz](http://www.dometic.co.nz)

**Your Retailer:**