

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: Loxeal 55-04
Product Use: Adhesive/Sealant
Restrictions of use: Refer to Section 15

New Zealand Supplier: Maxilam New Zealand Ltd 42 Cambridge Street Levin, 5510, New Zealand

Telephone: +64 (0)6 366 0007

Emergency No: 0800 764 766 (National Poison Centre)

Australian Supplier: Maxilam Australia

Address: Level 6, 10 Herb Elliot Avenue, Sydney, NSW, 2127

Telephone No: +61 2 9098 8224

Emergency No: 13 11 26 (National Poison Line)

Date SDS Issued: 25 July 2017

Section 2. Hazards Identification

Australia – This substance is hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals, 3rd Revised Edition

NZ - This substance is hazardous according to The HSNO (Minimum Degrees of Hazard) Regulations 2001

NZ - EPA Approval Code: Surface Coatings and Colourants (subsidiary) - HSR002670

Hazard Statement

Pictograms





Irritant

HSNO Class.

Chronic

Hazard

SIGNAL WORD: Warning

	Code		
6.3A	H315	Causes skin irritation.	Category 2
6.4A	H319	Causes serious eye irritation.	Category 2A
6.5B	H317	May cause an allergic skin reaction.	Category 1
6.9B	H373	May cause damage to organs through prolonged or repeated exposure.	Category 2
9.1D	H401	Toxic to aquatic life.	Category 4

Product Name: Loxeal 55-04 Issued by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2017 Tel: +64 9 475 5240 WWW.techcomp.co.nz

GHS Category

Ī	9.3C	H433	Harmful to terrestrial vertebrates.	

Prevention Code Prevention Statement

P103	Read label before use.
P260	Do not breathe fume or vapours.
P264	Wash hands thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective clothing.

Response Code Response Statement

P314	Get medical advice/attention if you feel unwell.
P362	Take off contaminated clothing and wash before re-use.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.

Storage Code Storage Statement

None allocated

Disposal Code Disposal Statement

P501 Dispose of according to the local authorities

Section 3. Composition of hazardous Ingredients

Ingredients	Wt%	CAS NUMBER.
Poly(oxy-1,2-ethanediyl), A-A' [(1-methylethyldiene)di-4,1-	30-60	41637-38-1
phenylene]bis[omega-[(2-methyl-1-		
oxo-2-propen-1-yl)oxy]-		
Hydroxypropyl methacrylate	1-5	27813-02-1
Cumene hydroperoxide	< 1	80-15-9
Ethanediol	< 1	107-21-1
Acrylic acid	< 1	79-10-7
Triethylamine	< 1	121-44-8

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice.

If on Skin Rinse skin with water/shower. Take off contaminated clothing and wash

before re-use. If skin irritation or rash occurs: Get medical advice/

attention.

If Swallowed Rinse mouth. Drink plenty of water. Never give anything by mouth to an

unconscious person. If vomiting occurs, give further water and get to a

doctor or hospital quickly. Immediately call a POISON CENTER or

doctor/physician.

If Inhaled

Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult.

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable.	
Hazards from	Burning produces irritating, toxic and obnoxious fumes. Carbon	
products	monoxide, carbon dioxide, and unknown hydrocarbons.	
Suitable	Foam, carbon dioxide or dry powder.	
Extinguishing	Unsuitable: Water	
media		
Precautions for	Wear positive-pressure self-contained breathing apparatus (SCBA) and	
firefighters and	ters and appropriate protective clothing.	
special protective		
clothing		
HAZCHEM CODE	None allocated	

Section 6. Accidental Release Measures

Wear protective clothing as described in Section 8 of this safety data sheet.

Absorb with sand or other inert absorbent. Transfer to a container for disposal.

Do not allow to enter waterways. Dispose of according to Local Regulations.

Section 7. Handling and Storage

Handling:

- Read label before use.
- Do not breathe fumes or vapours.
- Wash hands thoroughly after handling.
- Contaminated work clothing should not be allowed out of the workplace.
- Avoid release to the environment.
- Wear protective clothing.
- Avoid eating, drinking and smoking when using the product.

Storage:

- Store in closed original container at temperatures between 5°C and 25°C.
- Never return unused material to storage receptacle.
- This product is not recommended for use in joints which will be in contact with either pure oxygen or steam.
- Store away from incompatible materials listed in Section 10.

Section 8 Exposure Controls / Personal Protection

Exposure Limit Values:

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA ppm mg/m³	STEL ppm mg/m ³
Ethylene glycol vapour & mist [107-21-1]	Ceiling 50 ppm (12	27 mg/m3)
Acrylic acid (skin) [79-10-7]	2 5.9	

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply.

Engineering Controls

Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours.

Personal Protection Equipment

Gradian Francisco Equipment		
Eyes	Safety glasses with side shields. Avoid wearing contact lenses.	
Hands and Skin	Nitrile rubber or VitonTM gloves are recommended. Cotton or other absorbent gloves should not be worn. Must wear appropriate protective clothing and equipment to prevent any possibility of skin contact with this substance.	
Respiratory	No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.	
Hygiene Measures	Wash hands at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Use of good industrial hygiene practices is required.	

Section 9 Physical and Chemical Properties

Appearance	Red liquid	
Colour	Slightly pungent odour	
Odour	Not available	
Odour Threshold	Not available	
pH	Not available	
Boiling Point	Not available	
Melting Point	Not available	
Freezing Point	Not available	
Flash Point	>100°C	
Flammability	Not available	
Upper and Lower	Not available	
Explosive Limits		
Vapour Pressure	Not available	
Vapour Density	Not available	
Relative Density	1.1	
Solubility	Slightly soluble in water. Miscible with: Organic Solvents	
Partition Coefficient:	Not available	
Auto Ignition temp	Not available	
Oxidising	Not available	
Viscosity	Thixotropic ≈5500 mPa s @ 25°C	

Section 10. Stability and Reactivity

Stability of Substance	Stable at normal ambient temperatures and when used as recommended.
Reactivity	The following materials may react with the product: Strong oxidising agents.
Conditions to Avoid Avoid the absence of air, and metal contamination.	
Incompatible Materials Metals and their salts. Free radical initiators.	

Hazardous Decomposition	Thermal decomposition could produce carbon monoxide,
Products	carbon dioxide, and unidentified organic compounds.

Acute Effects:

Swallowed	Not applicable.	
Dermal	Not applicable.	
Inhalation	Not applicable.	
Eye	Causes serious eye irritation.	
Skin	Causes skin irritation. May cause an allergic skin reaction.	

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive	Not applicable.
Toxicity	
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	May cause damage to organs through prolonged or repeated
	exposure.

Section 12. Ecotoxicological Information

New Zealand:

HSNO Classes: 9.1D = Toxic to aquatic life.

9.3C = Harmful to terrestrial vertebrates.

Persistence and degradability	No data available
Biodegradation	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available

Section 13. Disposal Considerations

Disposal Method: Empty packaging completely prior to disposal. Place any recovered product

into an appropriate waste container for disposal through appropriate waste

company or specialized landfill in accordance with local regulations.

Precautions: Ensure any container holding waste product, rinsate, or contaminated spill

media is labelled "Hazardous Waste – Ecotoxic". Do not empty into drains, dispose of this material and its container at hazardous or special waste

collection point.

Section 14 Transport Information

This product is NOT classified as a Dangerous Good for transport in Australia; ADG 7 This product is NOT classified as a Dangerous Good for transport: NZS 5433:2012

Section 15	Pogulator	, Information
Section 15	Requiatory	/ Information

Australia:

Australia – This substance is hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals, 3rd Revised Edition

Poison Schedule No: Schedule 5

New Zealand:

EPA Approval Code: Surface Coatings and Colourants (subsidiary) - HSR002670

HSNO Classification: 6.3A, 6.4A, 6.5B, 6.9B, 9.1D, 9.3C

HSNO Controls in New Zealand:

Trigger quantities for this substance:

	Trigger Quantity	
Approved Handler	Not required	
Location Certificate	Not required	
Tracking Trigger Quantities	Not required	
Signage Trigger Quantities	10000L (9.1D)	
Emergency Response Plan trigger Quantities	1000L (6.5B)	
Secondary Containment	1000L (6.5B)	
Restrictions of use	None	

Section 16 Other Information

- 1. HSNO Approved Code of Practice: Preparation of Safety Data Sheets, September 2006.
- 2. Safe Work Australia NOHSC 2011 National Code of Practice

Disclaimer

This document has been issued by the TCC(NZ) Ltd and serves as their Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to the TCC(NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC(NZ) Ltd have taken all due care to include accurate and upto-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC(NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the distributor if further information is required.

Issue Date: 25 July 2017 Review Date: 25 July 2022